



CPM530 article	Format x piece	D	diameter in mm	quantity in mm per bag	Tool pads per row	Tool row	max 530 bandwidth in mm	feed in mm	Waste in %	Card m/min	5 Card weight	CPM530 Speed	operator Packaging	Bag Total	Bag per operator
D 57x - Pad 30	D	57	30	7	2	433	133	38.0%	33.25	22	129.0	6	60.2	10.0	
D 57x - Pad 40	D	57	40	7	2	433	133	38.0%	33.25	22	172.0	6	60.2	10.0	
D 57x - Pad 50	D	57	50	7	2	433	133	38.0%	33.25	22	215.0	6	60.2	10.0	
D 57x - Pad 60	D	57	60	7	2	433	133	38.0%	33.25	22	258.0	6	60.2	10.0	
D 57x - Pad 70	D	57	70	7	2	433	133	38.0%	33.25	22	250.0	5	50.0	10.0	
D 57x - Pad 80	D	57	80	7	2	433	133	38.0%	33.25	22	250.0	5	43.8	8.8	
D 57x - Pad 100	D	57	100	7	2	433	133	38.0%	33.25	22	215.0	3	30.1	10.0	
D 57x - Pad 120	D	57	120	7	2	433	133	38.0%	33.25	22	258.0	3	30.1	10.0	
D 57x - Pad 140	D	57	140	7	2	433	133	38.0%	33.25	22	260.0	3	26.0	8.7	



1	1	32.05	Zchng.-Nr. Norm-Nr.	Artikel-Nr. Bemerkungen
Stueckzahl	Gegenstand und Dimension	Pos.	Werkstoff	Gew.p.St.
IV	III	II	I	Zusammenst.-Nr.
Stanzbild			Masstab	Gezeichnet
Durchmesser 57mm 14-fach mit VP			1:1	12.12.22
CPM.000.1451				bd
HEFTEC GmbH			CPM.500.1480	
Automation & Engineering				